



Order Information :

Long Lead (L=18.8mm) : Add "1" After Part No.
 1000pcs Ammo Pack
 Short Lead (L=4.3mm) : Add "0" After Part No.
 Bulk Pack

Part Number	Ampere(A)	Voltage(V)
1701 0050 24*	50mA	250V
1701 0063 24*	63mA	250V
1701 0080 24*	80mA	250V
1701 0100 24*	100mA	250V
1701 0125 24*	125mA	250V
1701 0160 24*	160mA	250V
1701 0200 24*	200mA	250V
1701 0250 24*	250mA	250V
1701 0315 24*	315mA	250V
1701 0400 24*	400mA	250V
1701 0500 24*	500mA	250V
1701 0630 24*	630mA	250V
1701 0800 24*	800mA	250V
1701 1100 24*	1A	250V
1701 1125 24*	1.25A	250V
1701 1160 24*	1.6A	250V
1701 1200 24*	2A	250V
1701 1250 24*	2.5A	250V
1701 1315 24*	3.15A	250V
1701 1400 24*	4A	250V
1701 1500 24*	5A	250V
1701 1630 24*	6.3A	250V
1701 1700 24*	7A	250V
1701 1800 24*	8A	250V
1701 2100 24*	10A	250V

Opening Time / Pre-arcing Time :

In	1.5 In	2.1In	2.75In	4In	10In		
50mA~10A	Carry	Max.	Min.	Max.	Min.	Max.	Max.
		30 minutes	10ms	3s	3ms	300ms	20ms

Tolerances : Unless Otherwise Specified

Dimension	Critical To Function	General
< 1	+/- 0.02	+/- 0.03
1 ~ 8	+/- 0.1	+/- 0.2
8 ~ 24.995	+/- 0.15	+/- 0.25
25 ~ 99.99	+/- 0.2	+/- 0.3
Angles	+/- 1°	+/- 5°

Rev	EN	Description	Dwg	Ckd	Appd	Date
B	93092401	Modify the tolerance	Kao	Chyi	Ku	2004/9/24

Material	Drawn	GLORYTECH TECHNOLOGY CO., LTD.			
	Check				
Finish	Engr	Title: Subminiature Fuse	A	GTQD-FUS-1701	B
	Appd				
Unless Otherwise Specified Dimensions are mm (inch) Tolerances: .x = 1.0 (.04) .xx = 0.5 (.02) .xxx = 0.25 (.010)		Scale: 2:1	Dwg Size	Sht 1 of 1	Rev
Model File Name : Ez-E5 IEC Quick Acting					
Drawing File Name : GTQD-FUS-1701					
Part Number : 1701 xxx 24*			Date:	2004/11/18	