



Order Information :

Long Lead (L=18.8mm) : Add "1" After Part No.
 1000pcs Ammo Pack
 Short Lead (L=4.3mm) : Add "0" After Part No.
 Bulk Pack

Part Number	Ampere(A)	Voltage(V)
1702 0050 44*	50mA	250V
1702 0063 44*	63mA	250V
1702 0080 44*	80mA	250V
1702 0100 44*	100mA	250V
1702 0125 44*	125mA	250V
1702 0160 44*	160mA	250V
1702 0200 44*	200mA	250V
1702 0250 44*	250mA	250V
1702 0315 44*	315mA	250V
1702 0400 44*	400mA	250V
1702 0500 44*	500mA	250V
1702 0630 44*	630mA	250V
1702 0800 44*	800mA	250V
1702 1100 44*	1A	250V
1702 1125 44*	1.25A	250V
1702 1160 44*	1.6A	250V
1702 1200 44*	2A	250V
1702 1250 44*	2.5A	250V
1702 1315 44*	3.15A	250V
1702 1400 44*	4A	250V
1702 1500 44*	5A	250V
1702 1630 44*	6.3A	250V
1702 1700 44*	7A	250V
1702 1800 44*	8A	250V
1702 2100 44*	10A	250V

Opening Time / Pre-arcing Time :

In	1.5 In	2.1In	2.75In		4In		10In	
50mA~10A	Carry	Max.	Min.	Max.	Min.	Max.	Min.	Max.
		120 s	400ms	10s	150ms	3s	20ms	150ms

Tolerances : Unless Otherwise Specified

Dimension	Critical To Function	General
< 1	+/- 0.02	+/- 0.03
1 ~ 8	+/- 0.1	+/- 0.2
8 ~ 24.995	+/- 0.15	+/- 0.25
25 ~ 99.99	+/- 0.2	+/- 0.3
Angles	+/- 1°	+/- 5°

Rev	EN	Description	Dwg	Ckd	Appd	Date
B	93092401	Modify the tolerance	Kao	Chyi	Ku	2004/9/24

Material	Drawn		GLORYTECH TECHNOLOGY CO., LTD.			
	Check					
Finish	Engr		Title: Subminiature Fuse	A	GTQD-FUS-1702	B
	Appd					
Unless Otherwise Specified Dimensions are mm (inch) Tolerances: .x = 1.0 (.04) .xx = 0.5 (.02) .xxx = 0.25 (.010)			Scale:	2:1	Dwg Size	Sht 1 of 1
Model File Name : Ez-E5 IEC Time Lag						
Drawing File Name : GTQD-FUS-1702						
Part Number : 1702 xxxx 44*				Date:	2004/11/18	